Author Index

Abdelhalim, S. M.	The effects of carbon dioxide in exhaust gas recirculation on diesel engine emissions	25–42
Abdelhalim, S. M.	Effects of exhaust gas recirculation temperature on diesel engine combustion and emissions	479–500
An, P. E.	A neurofuzzy approach to future intelligent driver support systems	43–58
Ball, J. K.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 1: an evaluation of combustion analysis routines by reference to model data	381–399
Ball, J. K.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 2: a new parameter for completeness of combustion and its use in modelling cycle-by-cycle variations in combustion	507–523
Barton, D. C.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Berta, G. L.	Simulation models for hybrid buses	59–72
Besant, C. N.	Vibration analysis for the design of a high-speed generator for a turbo-electric hybrid vehicle	271–283
Bickley, I.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Bickley, I.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Bieniek, M. P.	Vehicle dynamics using a limit surface treatment of the tyre–road interface	347–356
Bromnick, P. A.	Intercooler model for unsteady flows in engine manifolds	119–132
Buckingham, J. T.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Burtt, S.	Optimization of the tractive performance of four-wheel-drive tractors: theoretical analysis and experimental substantiation	285–297
Cebon, D.	Influence of tractor–trailer interaction on assessment of road damaging performance	1–10
Chan, S. H.	Thermodynamics in a turbocharged direct injection diesel engine	11–24
Chan, S. H.	A compact particulate dilution tunnel for the characterization of diesel exhaust	299–310
Chen, R.	Theoretical and experimental study of a fluidic device as a fuel injector for natural gas engines	215–226
Childs, T. H. C.	V-ribbed belt design, wear and traction capacity	333–344
Childs, T. H. C.	Automotive timing belt life laws and a user design guide	409–419
Chowanietz, E.	Design of an electrostatically excited H-type resonant gyroscope suitable for fabrication using the LIGA process	319–332
Cole, D. J.	Influence of tractor–trailer interaction on assessment of road damaging performance	1–10
Crolla, D. A.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Dalgarno, K. W.	V-ribbed belt design, wear and traction capacity	333–344
Dalgarno, K. W.	Automotive timing belt life laws and a user design guide	409–419
Day, A. J.	Automotive timing belt life laws and a user design guide	409–419
Dick, E.	A new total variation diminishing scheme for the calculation of one-dimensional flow in inlet and exhaust pipes of internal combustion engines	437–448
DiMaggio, S. J.	Vehicle dynamics using a limit surface treatment of the tyre–road interface	347–356
D'Olier, V.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
D'Olier, V.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Dooner, D.	Kinematic considerations for reducing the circulating power effects in gear-type continuously variable transmissions	463–478
Duponcheele, G.	Topological optimization of a bumper beam via the messy genetic algorithm	133–143
Durelli, E.	Simulation models for hybrid buses	59–72
Elbaz, M.	Prediction of the effect of injection parameters on NO_x emission and burning quality in the direct injection diesel engine using a modified multizone model	427–436
El-Bahnasy, S. H.	Prediction of the effect of injection parameters on NO_x emission and burning quality in the direct injection diesel engine using a modified multizone model	427–436
Etemad, M. R.	Hybrid vehicle simulation for a turbogenerator-based power-train	357–368
Fessler, H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Fessler, H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Ghosh, T. K.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Ginter, D.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Grieve, D. G.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Harris, C. J.	A neurofuzzy approach to future intelligent driver support systems	43–58
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 1: system overview	93–102
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 2: simulation of system performance with capillary and orifice pneumatic damping	227–240
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 3: laboratory and road test performance	401–407

© IMechE 1998

Author Index

Abdelhalim, S. M.	The effects of carbon dioxide in exhaust gas recirculation on diesel engine emissions	25–42
Abdelhalim, S. M.	Effects of exhaust gas recirculation temperature on diesel engine combustion and emissions	479–500
An, P. E.	A neurofuzzy approach to future intelligent driver support systems	43–58
Ball, J. K.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 1: an evaluation of combustion analysis routines by reference to model data	381–399
Ball, J. K.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 2: a new parameter for completeness of combustion and its use in modelling cycle-by-cycle variations in combustion	507–523
Barton, D. C.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Berta, G. L.	Simulation models for hybrid buses	59–72
Besant, C. N.	Vibration analysis for the design of a high-speed generator for a turbo-electric hybrid vehicle	271–283
Bickley, I.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Bickley, I.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Bieniek, M. P.	Vehicle dynamics using a limit surface treatment of the tyre–road interface	347–356
Bromnick, P. A.	Intercooler model for unsteady flows in engine manifolds	119–132
Buckingham, J. T.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Burtt, S.	Optimization of the tractive performance of four-wheel-drive tractors: theoretical analysis and experimental substantiation	285–297
Cebon, D.	Influence of tractor–trailer interaction on assessment of road damaging performance	1–10
Chan, S. H.	Thermodynamics in a turbocharged direct injection diesel engine	11–24
Chan, S. H.	A compact particulate dilution tunnel for the characterization of diesel exhaust	299–310
Chen, R.	Theoretical and experimental study of a fluidic device as a fuel injector for natural gas engines	215–226
Childs, T. H. C.	V-ribbed belt design, wear and traction capacity	333–344
Childs, T. H. C.	Automotive timing belt life laws and a user design guide	409–419
Chowanietz, E.	Design of an electrostatically excited H-type resonant gyroscope suitable for fabrication using the LIGA process	319–332
Cole, D. J.	Influence of tractor–trailer interaction on assessment of road damaging performance	1–10
Crolla, D. A.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Dalgarno, K. W.	V-ribbed belt design, wear and traction capacity	333–344
Dalgarno, K. W.	Automotive timing belt life laws and a user design guide	409–419
Day, A. J.	Automotive timing belt life laws and a user design guide	409–419
Dick, E.	A new total variation diminishing scheme for the calculation of one-dimensional flow in inlet and exhaust pipes of internal combustion engines	437–448
DiMaggio, S. J.	Vehicle dynamics using a limit surface treatment of the tyre–road interface	347–356
D'Olier, V.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
D'Olier, V.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Dooner, D.	Kinematic considerations for reducing the circulating power effects in gear-type continuously variable transmissions	463–478
Duponcheele, G.	Topological optimization of a bumper beam via the messy genetic algorithm	133–143
Durelli, E.	Simulation models for hybrid buses	59–72
Elbaz, M.	Prediction of the effect of injection parameters on NO_x emission and burning quality in the direct injection diesel engine using a modified multizone model	427–436
El-Bahnasy, S. H.	Prediction of the effect of injection parameters on NO_x emission and burning quality in the direct injection diesel engine using a modified multizone model	427–436
Etemad, M. R.	Hybrid vehicle simulation for a turbogenerator-based power-train	357–368
Fessler, H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Fessler, H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Ghosh, T. K.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Ginter, D.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Grieve, D. G.	Design of a lightweight automotive brake disc using finite element and Taguchi techniques	245–254
Harris, C. J.	A neurofuzzy approach to future intelligent driver support systems	43–58
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 1: system overview	93–102
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 2: simulation of system performance with capillary and orifice pneumatic damping	227–240
Henderson, R. J.	A two-degree-of-freedom ambulance stretcher suspension. Part 3: laboratory and road test performance	401–407

© IMechE 1998

Hu, Z.	The effects of carbon dioxide in exhaust gas recirculation on diesel engine emissions	25–42
Huang, Q.	Theoretical and experimental study of a fluidic device as a fuel injector for natural gas engines	215–226
Huang, Z.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Hyde, T. H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Hyde, T. H.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
James, E. H.	Modelling the effects of combustion and turbulence on near-wall temperature gradients in the cylinders of spark ignition engines	535–548
Jenkin, R. J.	Modelling the effects of combustion and turbulence on near-wall temperature gradients in the cylinders of spark ignition engines	535–548
Jeong, S.-K.	Vehicle dynamics and control synthesis for four-wheel steering passenger cars	449–461
Jiang, D.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Kim, C.	A sliding mode controller for vehicle active suspension systems with non-linearities	79–92
Knezevic, Z.	Optimization of the tractive performance of four-wheel-drive tractors: theoretical analysis and experimental substantiation	285–297
Koltsakis, G. C.	The role of computer aided engineering in the design optimization of exhaust after-treatment systems	169–186
Konstantinidis, P. A.	The role of computer aided engineering in the design optimization of exhaust after-treatment systems	169–186
Ladommatos, N.	The effects of carbon dioxide in exhaust gas recirculation on diesel engine emissions	25–42
Ladommatos, N.	Measurements of in-cylinder mixture strength and fuel accumulation in the inlet port of a gasoline-injected engine during very rapid throttle openings	103–118
Ladommatos, N.	Effects of exhaust gas recirculation temperature on diesel engine combustion and emissions	479–500
Lamperth, M. U.	Hybrid vehicle simulation for a turbogenerator-based power-train	357–368
Lees, A.	Design of an electrostatically excited H-type resonant gyroscope suitable for fabrication using the LIGA process	319–332
Leontopoulos, C.	Vibration analysis for the design of a high-speed generator for a turbo-electric hybrid vehicle	271–283
Leontopoulos, C.	Hybrid vehicle simulation for a turbogenerator-based power-train	357–368
Low, S. C.	A compact particulate dilution tunnel for the characterization of diesel exhaust	299–310
Loyalka, S. K.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Lucas, G. G.	Theoretical and experimental study of a fluidic device as a fuel injector for natural gas engines	215–276
McCormick, M.	Design of an electrostatically excited H-type resonant gyroscope suitable for fabrication using the LIGA process	319–332
McLaughlin, N. B.	Optimization of the tractive performance of four-wheel-drive tractors: theoretical analysis and experimental substantiation	285–297
Malalasekera, W. M.	Modelling the effects of combustion and turbulence on near-wall temperature gradients in the cylinders of spark ignition engines	535–548
Matthews, N. D.	A neurofuzzy approach to future intelligent driver support systems	43–58
Miller, A. L.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–533
Moore, R. B.	Automotive timing belt life laws and a user design guide	409–419
Nymann, I.	Simulation models for hybrid buses	59–72
Pan, K.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Pang, J.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Pashley, N.	Predictions of liquid fuel injector performance with gaseous fuels	311–317
Pearson, R. J.	Intercooler model for unsteady flows in engine manifolds	199–132
Petrushov, V. A.	Improvement in vehicle aerodynamic drag and rolling resistance determination from coast-down tests	369–380
Pullen, K. R.	Hybrid vehicle simulation for a turbogenerator-based power-train	357–368
Qian, Y. Q.	Development of a modified diesel engine cycle	145–150
Raine, J. K.	A two-degree-of-freedom ambulance stretcher suspension. Part 1: system overview	93–102
Raine, J. K.	A two-degree-of-freedom ambulance stretcher suspension. Part 2: simulation of system performance with capillary and orifice pneumatic damping	227–240
Raine, J. K.	A two-degree-of-freedom ambulance stretcher suspension. Part 3: laboratory and road test performance	401–407
Raine, R. R.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 1: an evaluation of combustion analysis routines by reference to model data	381–399
Raine, R. R.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 2: a new parameter for completeness of combustion and its use in modelling cycle-by-cycle variations in combustion	507–523

© IMechE 1998

Ro, P. I.	A sliding mode controller for vehicle active suspension systems with non-linearities	79–92
Robb, D. A.	Vibration analysis for the design of a high-speed generator for a turbo-electric hybrid vehicle	271–283
Roberts, J. M.	A neurofuzzy approach to future intelligent driver support systems	43–58
Rose, D.	Measurements of in-cylinder mixture strength and fuel accumulation in the inlet port of a gasoline-injected engine during very rapid throttle openings	103–118
Salem, H.	Prediction of the effect of injection parameters on NO_x emission and burning quality in the direct injection diesel engine using a modified multizone model	427–436
Seaba, J. P.	A study to investigate the capability of adsorbents for reduction of cold-start emissions	525–553
Seireg, A.	Kinematic considerations for reducing the circulating power effects in gear-type continuously variable transmissions	463–478
Sierens, R.	A new total variation diminishing scheme for the calculation of one-dimensional flow in inlet and exhaust pipes of internal combustion engines	437–448
Smith, R.	The formula commonly used to calculate velocity change in vehicle collisions	73–78
Stamatelos, A. M.	The role of computer aided engineering in the design optimization of exhaust after-treatment systems	169–186
Steel, J. A.	A study of engine noise transmission using statistical energy analysis	205–213
Stone, C. R.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 1: an evaluation of combustion analysis routines by reference to model data	381–399
Stone, C. R.	Combustion analysis and cycle-by-cycle variations in spark ignition engine combustion. Part 2: a new parameter for completeness of combustion and its use in modelling cycle-by-cycle variations in combustion	507–523
Stone, R.	Predictions of liquid fuel injector performance with gaseous fuels	311–317
Sun, J. H.	A compact particulate dilution tunnel for the characterization of diesel exhaust	299–310
Tilley, D. G.	Topological optimization of a bumper beam via the messy genetic algorithm	133–143
Vandervoorde, M.	A new total variation diminishing scheme for the calculation of one-dimensional flow in inlet and exhaust pipes of internal combustion engines	437–448
Vierendeels, J.	A new total variation diminishing scheme for the calculation of one-dimensional flow in inlet and exhaust pipes of internal combustion engines	437–448
Warrior, N. A.	Stresses and deformations in overlapped diesel engine crankshafts. Part 1: experimental results	187–204
Warrior, N. A.	Stresses and deformations in overlapped diesel engine crankshafts. Part 2: evaluation of results	255–270
Winterbone, D. W.	Intercooler model for unsteady flows in engine manifolds	199–132
Wong, J. Y.	Optimization of design parameters of rigid-link track systems using an advanced computer aided method	153–167
Wong, J. Y.	Optimization of the tractive performance of four-wheel-drive tractors: theoretical analysis and experimental substantiation	285–297
Yang, Z.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Yao, L.	Design of an electrostatically excited H-type resonant gyroscope suitable for fabrication using the LIGA process	319–332
Yoon, H.-D.	Kinematic considerations for reducing the circulating power effects in gear-type continuously variable transmissions	463–478
You, S.-S.	Vehicle dynamics and control synthesis for four-wheel steering passenger cars	449–461
Yu, D.	V-ribbed belt design, wear and traction capacity	333–344
Zhang, Y.	Research on the fuzzy and dynamic monitoring of the diesel engine operating conditions	421–426
Zhang, Z. P.	Research on the fuzzy and dynamic monitoring of the diesel engine operating conditions	421–426
Zhao, H.	The effects of carbon dioxide in exhaust gas recirculation on diesel engine emissions	25–42
Zhao, H.	Effects of exhaust gas recirculation temperature on diesel engine combustion and emissions	479–500
Zhou, L.	Investigation into hydrocarbon emissions from crevice and oil film during cold start and idling periods in a spark ignition engine	501–505
Zhou, P. L.	Development of a modified diesel engine cycle	145–150
Zhou, Y. C.	Research on the fuzzy and dynamic monitoring of the diesel engine operating conditions	421–426

© IMechE 1998